

CASE FILE 19 / 237UAP00614

237UAP00614

Radar/correlation-focused public UAP report; score 70

NORMAL-OBJECT FAVORED

REPORT NO.	UAP-OM-19-237UAP00614	DISPOSITION	NORMAL-OBJECT FAVORED
PRIMARY CASE	237UAP00614	GENERATED	2026-05-20 18:32 UTC
REPORT TIME	2024-02-24T02:30:00+00:00	OBSERVER	32.23967, -77.90289
SOURCE CASE IDS	237UAP00614		

Abstract

This case file evaluates a reported UAP sighting against the available orbital-object layer. No compact same-launch group fully identifies the file by itself. The final disposition is assigned under a normal-object favored standard, where ordinary aerospace/orbital explanations are preferred when they reasonably fit the report.

This is a standalone independent analysis prepared from public-source records and public orbital datasets. It is not an official government determination, classification marking, or agency-authored report.

1. Executive Summary

237UAP00614 is assessed as normal-object favored because the available public evidence gives a case-specific ordinary-object candidate: strong ADS-B aircraft candidate N775AV A20N aa7bae at 31.0 km, azimuth 77.4 deg, elevation 18.82 deg, 0.73 min from report. Dense satellite presence alone is not treated as causation in this packet.

1.1 Key Findings

- Source score 70 based on: radar/primary-return language, negative official correlation, high-altitude report, UAP/UFO language.
- Report time used: 2024-02-24T02:30:00+00:00.
- External object layer used: Starlink.
- Disposition standard: NORMAL-OBJECT requires case-specific causal fit. Satellite density above the horizon is context only and cannot by itself resolve the report.
- Case-specific ordinary-object evidence: strong ADS-B aircraft candidate N775AV A20N aa7bae at 31.0 km, azimuth 77.4 deg, elevation 18.82 deg, 0.73 min from report.
- Non-causal context / rejection screens: substantial orbital-object sky background; context only, not causation.
- Objects above horizon: 256; at/above 10 deg: 106.
- No compact same-launch/designator group survived the report threshold.
- No explicit Starlink/balloon wording was found in the source excerpt used for ranking.

1.2 Bottom Line

NORMAL-OBJECT FAVORED: A case-specific ordinary-object candidate exists from source language, orbital geometry, launch-object context, or compact trajectory grouping. Dense ordinary sky traffic alone is not treated as causation.

2. Source Control

The source-control table identifies the public report records reviewed for this case and lists public access links where available. The table is included so this PDF remains interpretable when distributed by itself.

CASE ID	REPORT DATE FIELD	FACILITY / TITLE	TEXT EXTRACT	PUBLIC PDF LINK
237UAP00614	2/23/2024 9:30:00 PM (-05 EST)	N5430G UFO-UAP ACTIVITY 02-23-2024	text extract present	237UAP00614.pdf

3. Original Report Evidence

PRIMARY EXCERPT USED FOR MATCHING	Washington Operations Center Date: 2/23/2024 9:30:00 PM (-05 EST) Title: N5430G UFO-UAP ACTIVITY 02-23-2024 Latitude: 32.239667359999999 Latitude: -77.902888880000006 DESCRIPTION PRELIM INFO FROM FAA OPS: WILMINGTON, NC/UFO-UAP ACTIVITY/2143E/JACKSONVILLE ARTCC ADVISED N5430G, GULFSTREAM GLF5, PROVIDENCIALES, TURKS AND CAICOS (MBPV) - EWR, REPORTED AN UNIDENTIFIED AERIAL PHENOMENON AT THE 12 O'CLOCK POSITION WHILE N BOUND AT FL450 140 S ILM. THE UAP WAS DESCRIBED AS 2 WHITE LIGHTS THAT APPEARED STATIONARY AT FL490. UAP WAS NOT OBSERVED ON RADAR. WOC 7-3333 HM/JE
REPORT TIME USED	2024-02-24T02:30:00+00:00
OBSERVER COORDINATE USED	32.23967, -77.90289
OBSERVER SOURCE BASIS	(public text extract 237UAP00614)

4. Methodology

- Spacetime extraction.** The report time and observer coordinate were extracted from the public text report and normalized to UTC. Aviation fixes/radials were resolved during earlier preprocessing where applicable.
- External object dataset.** The object layer used historical Space-Track/TLE-derived Starlink element rows. The analytic mode for this case is historical Starlink element propagation and same-launch/designator sky grouping.
- Propagation.** Orbital elements were propagated to the report minute and observer location. For launch-object checks, samples around the report minute were retained. For Starlink group checks, objects above the horizon were clustered by sky position and filtered for same-launch groupings.
- Comparison.** The output was compared against the report's count of lights, direction cue, motion language, altitude/radar language, and whether the file itself already suggested a satellite explanation.
- Causation standard.** Mere object presence above the horizon is treated as background context only. A normal-object disposition requires a case-specific causal fit, such as a named launch object, a compact same-launch trajectory group, or source language that directly supports that object class.
- Disposition assignment.** *Identified* means a specific normal object fits the report spacetime and the hard reported features do not materially conflict. *Normal-object favored* means a case-specific ordinary aerospace/orbital candidate exists, but it is not a full named identification. *Insufficient* means the file is too thin to carry high anomaly value. *High-value unresolved* is used when radar, video, rapid maneuver, or multi-witness features remain after reasonable normal-object checks.

5. External Object Evidence

5.1 Search Volume and Density

This table is a screening layer only. Objects above the horizon show background opportunity; they do not establish causation unless a specific object or compact trajectory group matches the reported behavior.

STARLINK CATALOG IDS CONSIDERED	5480	HISTORICAL ELEMENT ROWS	5459
ABOVE HORIZON AT REPORT MINUTE	256	AT/ABOVE 10 DEG	106
LARGEST SAME-SKY CLUSTER	65		

No compact same-launch/designator group survived the report threshold. In this condition, satellite density remains context only and cannot by itself resolve a report with hard features.

5.2 Same-Launch / Same-Designator Candidate Groups

#	LAUNCH DATE	COUNT	AZIMUTH SPAN	ELEVATION SPAN	MOTION LABELS	MEMBERS
No same-launch group identified.						

5.3 Primary Group Members

OBJECT	NORAD	LAUNCH	AZ	EL	RANGE KM	APPARENT MOTION	ELEMENT AGE H
No members available.							

5.4 Bright-Sky Context: Top Starlink Objects by Elevation

OBJECT	AZ	EL	RANGE KM	APPARENT MOTION	LAUNCH DATE
STARLINK-4363	259.51	86.46	567.58	eastward, setting	2022-07-22
STARLINK-3137	72.62	84.35	543.3	eastward, setting	2021-11-13
STARLINK-1484	181.75	65.19	590.34	westward, setting	2020-06-13
STARLINK-2607	36.59	58.04	637.0	eastward, setting	2021-05-04
STARLINK-6331	292.55	57.31	655.62	westward, setting	2023-07-16
STARLINK-1114	169.24	54.14	662.76	westward, setting	2020-01-07
STARLINK-30888	114.17	49.98	711.93	westward, setting	2023-11-18
STARLINK-5261	46.83	49.77	735.32	westward, setting	2023-01-19
STARLINK-5748	284.96	49.41	717.73	eastward, setting	2023-02-12
STARLINK-30165	25.93	49.36	718.83	eastward, setting	2023-07-28
STARLINK-5183	305.2	41.12	785.22	eastward, setting	2022-10-20
STARLINK-30519	198.75	40.86	813.64	westward, rising	2023-09-30

5.5 Largest Sky Clusters

#	COUNT	AZIMUTH SPAN	ELEVATION SPAN	MOTION LABELS
1	65	1.47-356.44 deg	10.08-41.12 deg	eastward, level, eastward, rising, eastward, setting, nearly fixed azimuth, setting, westward, rising, westward, setting
2	12	141.19-198.75 deg	10.66-40.86 deg	eastward, rising, eastward, setting, westward, rising, westward, setting

#	COUNT	AZIMUTH SPAN	ELEVATION SPAN	MOTION LABELS
3	4	25.93-49.9 deg	40.5-58.04 deg	eastward, setting, westward, setting
4	4	230.19-258.8 deg	30.55-40.73 deg	eastward, rising, westward, setting
5	4	214.84-219.89 deg	13.57-27.06 deg	westward, rising, westward, setting

5.6 Space-Track SATCAT Enrichment

Space-Track SATCAT metadata was pulled as a cached subset for NORAD catalog IDs appearing in this packet's evidence tables. This section adds owner/type/status context to the propagated object candidates.

PACKET SATCAT SUBSET ROWS	5370	FETCHED	2026-05-19T01:19:50+00:00
THIS CASE NORAD IDS CHECKED	30	SATCAT ROWS MATCHED	30
TOP OWNERS	US: 30		
OBJECT TYPES	PAYLOAD: 30		

5.7 Space-Track Metadata for Top Propagated Objects

NORAD	OBJECT NAME	TYPE	OWNER	LAUNCH DATE	DECAY DATE
53220	STARLINK-4363	PAYLOAD	US	2022-07-22	n/a
49449	STARLINK-3137	PAYLOAD	US	2021-11-13	n/a
45756	STARLINK-1484	PAYLOAD	US	2020-06-13	2026-03-22
48391	STARLINK-2607	PAYLOAD	US	2021-05-04	n/a
57351	STARLINK-6331	PAYLOAD	US	2023-07-16	n/a
44927	STARLINK-1114	PAYLOAD	US	2020-01-07	n/a
58370	STARLINK-30888	PAYLOAD	US	2023-11-18	n/a
55276	STARLINK-5261	PAYLOAD	US	2023-01-19	n/a
55604	STARLINK-5748	PAYLOAD	US	2023-02-12	n/a
57457	STARLINK-30165	PAYLOAD	US	2023-07-28	n/a
54084	STARLINK-5183	PAYLOAD	US	2022-10-20	n/a
57985	STARLINK-30519	PAYLOAD	US	2023-09-30	n/a

5.9 NASA / NOAA / ADS-B Expansion Layer

This source layer adds free NASA context that was previously missing from most packet cases. It is contextual evidence; it does not replace aircraft, satellite, balloon, or radar causation tests.

HOURL UTC	2024022402
CLOUD AMOUNT	99.7%
PRECIPITATION	9.49 mm/hr
10 M WIND	9.8 m/s
TEMPERATURE	20.82 C
RELATIVE HUMIDITY	85.15%
DONKI +/-1 DAY	CME: unavailable; FLR: unavailable; GST: unavailable; HSS: unavailable; IPS: unavailable; MPC: unavailable; RBE: unavailable; SEP: unavailable; WSAEnlilSimulations: unavailable

5.10 Horizons Sky Geometry Context

OBJECT	AZ	EL	APP MAG
Sun	289.05	-43.91	-26.77
Moon	105.26	48.55	-12.51
Venus	304.56	-68.37	-3.90
Mars	304.23	-69.38	1.30
Jupiter	274.36	20.07	-2.21
Saturn	285.64	-40.15	0.97

- Sun elevation was -43.9 deg, so this was a dark-sky/nighttime sighting.
- Moon was above horizon at azimuth 105.3 deg / elevation 48.5 deg.
- Planets above horizon: Jupiter (20.1 deg).
- NASA POWER cloud amount for the hour was 99.7%, with precipitation 9.49 mm/hr.

5.11 Free Source Availability and Remaining Work

LAYER	STATUS	CASE-SPECIFIC NOTE
ADSB.LOL HISTORICAL RELEASE LISTING	screened/present	planes-readsb-staging-0 1725.0 MiB; planes-readsb-prod-0 1727.0 MiB
ADSB TRACKS DOWNLOADED	not yet exhausted	Requires targeted extraction from large daily history archives before claiming aircraft exhaustion.
NOAA GOES IMAGERY	not yet exhausted	Needed for cloud/lightning visual context.
NOAA GOES ABI/GLM MANIFEST	screened/present	Public S3 object availability for the report hour.
NOAA NEXRAD WEATHER RADAR	not yet exhausted	Weather radar only; not ATC radar.
NOAA IGRA RADIOSONDE	screened/present	Needed for balloon drift plausibility.
ASOS/METAR WEATHER OBSERVATIONS	screened/present	Nearest station surface observations around report time.

- ADSB.lol historical: extract aircraft traces from adsblol/globe_history_2024 for 2024-02-24, then filter +/-60 min and 250 nmi around 32.0199,-77.8744.
- NASA POWER/Horizons/DONKI: batch context for 237UAP00614 at 2024-02-24T02:30:00+00:00.
- NOAA GOES: pull nearest ABI/GLM products for the UTC hour and render cloud/lightning map.
- NOAA NEXRAD: select nearest radar stations and render Level-II/III weather radar sweep around event time.
- NOAA IGRA: find nearest radiosonde station launches bracketing the event and model wind drift for balloon-like descriptions.
- Space-Track gp_history/decay: fetch exact historical element rows and decay/reentry status for top candidate NORAD IDs.

5.12 Weather, Imagery, and Balloon Query Plan

This plan identifies the concrete free sources needed for the next case-specific weather and balloon checks. These are not treated as completed exclusions until the data are downloaded and plotted.

GOES SATELLITE	GOES16
GOES ABI PREFIX	https://noaa-goes16.s3.amazonaws.com/ABI-L2-CMIPF/2024/055/02/
GOES GLM LIGHTNING PREFIX	https://noaa-goes16.s3.amazonaws.com/GLM-L2-LCFA/2024/055/02/

5.13 Nearest Weather-Airport Candidates

STATION	NAME	DISTANCE KM	COORDINATE
KMYR	Myrtle Beach International Airport	209.20	33.68, -78.93
KCRE	Grand Strand Airport	214.40	33.81, -78.72
KCHS	Charleston International Airport	225.20	32.90, -80.04
KILM	Wilmington International Airport	250.50	34.27, -77.91

STATION	NAME	DISTANCE KM	COORDINATE
KHXD	Hilton Head Airport	266.80	32.22, -80.70

- KMYR: [IEM ASOS/METAR daily CSV query](#)
- KCRE: [IEM ASOS/METAR daily CSV query](#)
- KCHS: [IEM ASOS/METAR daily CSV query](#)

5.14 Nearest Radiosonde Stations

STATION	NAME	DISTANCE KM	COORDINATE
USM00072208	CHARLESTON/MUN.; SC.	224.20	32.90, -80.03
USM00072305	NEWPORT; NC.	320.20	34.78, -76.88
USM00072206	JACKSONVILLE/INTNL.; FL.	401.80	30.48, -81.70
USM00074794	CAPE KENNEDY	471.30	28.47, -80.55
USM00072317	GREENSBORO/G.-HIGH PT.; NC.	491.80	36.10, -79.94

5.15 ASOS/METAR Surface Weather Observations

surface visibility ranged 1-10 statute miles; precipitation was reported in at least one observation; low/broken/overcast cloud layers were present in at least one observation. Surface ASOS/METAR observations describe airport-level weather and visibility; they do not by themselves prove conditions at the sighting altitude or line of sight.

STATION	DISTANCE KM	NEAREST OBS UTC	VIS SM	SKY	WIND DEG/KT	METAR
KMYR	209.20	2024-02-24T02:56:00 +00:00	10.00	FEW12000, M, M, M	310.00 / 3.00	KMYR 240256Z 31003KT 10SM FEW120 11/11 A2966 RMK AO2 SLP044 60003 T01110111 52004
KCRE	214.40	2024-02-24T02:53:00 +00:00	10.00	CLR, M, M, M	0.00 / 0.00	KCRE 240253Z AUTO 00000KT 10SM CLR 12/10 A2965 RMK AO1 SLP039 60005 T01220100 51017
KCHS	225.20	2024-02-24T02:56:00 +00:00	10.00	SCT08000, M, M, M	250.00 / 3.00	KCHS 240256Z 25003KT 10SM SCT080 13/08 A2969 RMK AO2 SLP054 T01330083 51032

5.16 NOAA IGRA Radiosonde Wind Profile

Nearest sounding implies mean 0-12 km wind drift toward 87.6 deg at 33.96 m/s; a passive balloon could drift about 244.5 km in two hours under this crude layer-average model. Radiosonde winds are sparse station soundings; balloon drift remains approximate without launch time, ascent rate, object altitude, and exact line-of-sight bearing.

STATION	NAME	DISTANCE KM	SOUNDING UTC	MEAN DRIFT BEARING	MEAN SPEED M/S	2H DRIFT KM	MAX WIND
USM00072208	CHARLESTON/ MUN.; SC.	224.20	2024-02-24T00:00 :00+00:00	87.60	33.96	244.50	61.70 at 10380.00 m

5.17 NOAA GOES ABI/GLM Public File Manifest

GOES public S3 objects are listed for the report hour where available. This is an availability manifest, not yet a rendered satellite image.

SATELLITE	GOES16	BUCKET	noaa-goes16
ABI SAMPLE FILES	12	GLM SAMPLE FILES	12

ABI sample objects:

- [ABI-L2-CMIPF/2024/055/02/OR_ABI-L2-CMIPF-M6C01_G16_s20240550200204_e20240550209512_c20240550209574.nc](#)
- [ABI-L2-CMIPF/2024/055/02/OR_ABI-L2-CMIPF-M6C01_G16_s20240550210204_e20240550219512_c20240550219570.nc](#)
- [ABI-L2-CMIPF/2024/055/02/OR_ABI-L2-CMIPF-M6C01_G16_s20240550220204_e20240550229512_c20240550229573.nc](#)
- [ABI-L2-CMIPF/2024/055/02/OR_ABI-L2-CMIPF-M6C01_G16_s20240550230204_e20240550239512_c20240550239578.nc](#)

GLM lightning sample objects:

- [GLM-L2-LCFA/2024/055/02/OR_GLM-L2-LCFA_G16_s20240550200000_e20240550200200_c20240550200217.nc](#)
- [GLM-L2-LCFA/2024/055/02/OR_GLM-L2-LCFA_G16_s20240550200200_e20240550200400_c20240550200414.nc](#)
- [GLM-L2-LCFA/2024/055/02/OR_GLM-L2-LCFA_G16_s20240550200400_e20240550201000_c20240550201016.nc](#)
- [GLM-L2-LCFA/2024/055/02/OR_GLM-L2-LCFA_G16_s20240550201000_e20240550201200_c20240550201217.nc](#)

5.18 ADSB.lol Historical Aircraft Track Extraction


This layer uses the downloaded ADSB.lol daily history archive to test actual aircraft tracks near the report coordinate and minute. It is not treated as a primary-radar substitute; it is a transponder/receiver-derived aircraft screen.

ARCHIVE WINDOW	2024-02-24T01:30:00+00:00 to 2024-02-24T03:30:00+00:00	RADIUS	250.00 nmi
TRACE FILES SCANNED	52668	TRACKS RETAINED	800
SUPPORT STATUS	aircraft strong candidate present	BEST-CANDIDATE NOTE	ordinary-object favored if the report's count, color, direction, and motion can be reconciled with the candidate track(s).
STRONG CANDIDATES	12	PLAUSIBLE CANDIDATES	31
REPORTING-AIRCRAFT TRACKS EXCLUDED	0	WEAK CANDIDATES	86

5.19 Top ADS-B Candidate Tracks

AIRCRAFT	STATUS	SCORE	MIN DIST KM	NEAREST DT MIN	ALT FT	AZ	EL
N775AV A20N aa7bae	strong aircraft candidate	85.25	31.00	0.01	35050	77.40	18.82
N663NK A321 a8c094	strong aircraft candidate	83.34	34.60	0.30	35025	306.50	16.99
N361DN A321 a4105b	strong aircraft candidate	81.77	25.40	0.18	34000	302.30	21.64
N630JB A320 a83e86	strong aircraft candidate	80.34	44.80	0.12	35975	71.10	12.90
N115DN A321 a03fle	strong aircraft candidate	78.51	46.90	0.11	35950	12.40	12.98
N5430G GLF5 a6e570	strong aircraft candidate	76.23	49.50	2.56	45000	359.20	15.28
N38446 B739 a46d29	strong aircraft candidate	74.24	49.20	1.42	33975	132.00	9.82
N355DN A321 a3f7b8	strong aircraft candidate	70.34	55.20	4.13	33050	1.10	10.11

6. Annotated Evidence Figure



Generated figure copied from the local evidence-plot output. It is included as an analytic visualization, not as original sensor imagery.

7. Analytic Comparison

CRITERION	REPORT EVIDENCE	ANALYTIC TREATMENT
TIME CONSTRAINT	2024-02-24T02:30:00+00:00	Directly used in propagation; this is a hard filter, not descriptive context.
LOCATION CONSTRAINT	32.23967, -77.90289	Directly used as observer point for azimuth/elevation/range computation.
COUNT / PATTERN	three-object/light language present	No compact same-launch count match; retained for unresolved report features.
MOTION LANGUAGE	stationary	Apparent motion labels in the object table provide a plausible but not definitive comparison.
RADAR / OFFICIAL CHECK	not observed on ATC radar	No ATC radar return can be consistent with distant orbital objects or visual aircraft-light hypotheses, but it does not prove the match.
ANALYTIC DISPOSITION	normal-object	237UAP00614 is assessed as normal-object favored because the available public evidence gives a case-specific ordinary-object candidate: strong ADS-B aircraft candidate N775AV A20N aa7bae at 31.0 km, azimuth 77.4 deg, elevation 18.82 deg, 0.73 min from report. Dense satellite presence alone is not treated as causation in this packet.

8. Caveats, Limitations, and Collection Gaps

- No raw cockpit video, ATC replay, radar plot, or witness interview transcript was reviewed unless explicitly stated in the public source text.
- Aviation-derived coordinates can represent a nearby fix/radial or report point, not necessarily the actual line-of-sight intercept point.
- Starlink visibility depends on illumination, observer altitude, atmospheric conditions, and apparent brightness; this analysis tests geometry, not photometry. No brightness model is used unless explicitly stated elsewhere in the case file.
- TLE propagation is appropriate for screening and reconstruction but is not a substitute for authoritative operational ephemerides.
- When many satellites are above the horizon, generic presence is weak evidence and is not treated as causation. The report emphasizes named launch-object checks or compact same-launch trajectory groups.
- Normal-object favored is not the same as a perfect named-object identification; it requires a case-specific ordinary-object candidate stronger than simple object density.

Appendix A. Public Report Text Extracts

237UAP00614

Washington Operations Center

Date: 2/23/2024 9:30:00 PM (-05 EST)
Title: N5430G UFO-UAP ACTIVITY 02-23-2024
Latitude: 32.239667359999999 Latitude: -77.902888880000006

DESCRIPTION

PRELIM INFO FROM FAA OPS: WILMINGTON, NC/UFO-UAP ACTIVITY/2143E/JACKSONVILLE ARTCC ADVISED N5430G, GULFSTREAM GLF5, PROVIDENCIALES, TURKS AND CAICOS (MBPV) - EWR, REPORTED AN UNIDENTIFIED AERIAL PHENOMENON AT THE 12 O'CLOCK POSITION WHILE N BOUND AT FL450 140 S ILM. THE UAP WAS DESCRIBED AS 2 WHITE LIGHTS THAT APPEARED STATIONARY AT FL490. UAP WAS NOT OBSERVED ON RADAR. WOC 7-3333 HM/JE

Appendix B. Computational Evidence Digest

This appendix preserves the principal computed values used in the assessment, shortened to the fields most relevant to audit and review.

```
{
  "report_time_utc": "2024-02-24T02:30:00+00:00",
  "source_excerpt": "Washington Operations Center\n\n\n\n\nDate: 2/23/2024 9:30:00 PM (-05 EST)\nTitle: N5430G UFO-UAP ACTIVITY\n02-23-2024\nLatitude: 32.239667359999999\nLatitude: -77.902888800000006\n\n\n\n\nDESCRIPTION\n\nPRELIM\nINFO FROM FAA OPS: WILMINGTON, NC/UFO-UAP ACTIVITY/2143E/JACKSONVILLE ARTCC ADVISED N5430G,\nGULFSTREAM GLF5, PROVIDENCIALES,\nTURKS AND CAICOS (MBPV) - EWR, REPORTED AN UNIDENTIFIED AERIAL\nPHENOMENON AT THE 12 O'CLOCK POSITION WHILE N BOUND AT FL450\n140 S ILM. THE UAP WAS DESCRIBED AS 2\nWHITE LIGHTS THAT APPEARED STATIONARY AT FL490. UAP WAS NOT OBSERVED ON RADAR. WOC\n7-3333 HM/JE",
  "historical_starlink_element_rows": 5459,
  "observer": {
    "lat": 32.23966736,
    "lon": -77.90288888,
    "source": "(public text extract 237UAP00614)"
  },
  "case_id": "237UAP00614",
  "starlink_above_horizon_at_report_time": 256,
  "starlink_catalog_ids_considered": 5480,
  "largest_same-sky_cluster_count": 65,
  "starlink_at_or_above_10_deg": 106,
  "top_starlinks": [
    {
      "azimuth_deg": 259.51,
      "azimuth_plus_2m_deg": 346.09,
      "azimuth_plus_5m_deg": 347.91,
      "element_age_hours": 1.46,
      "element_epoch": "2024-02-24T03:57:21.706848+00:00",
      "elevation_deg": 86.46,
      "elevation_plus_2m_deg": 28.9,
      "elevation_plus_5m_deg": 4.88,
      "epoch_altitude_km": 568.98,
      "ground_track_bearing_deg": 348.13,
      "ground_track_label": "NNW",
      "launch_date": "2022-07-22",
      "name": "STARLINK-4363",
      "norad_id": "53220",
      "range_km": 567.58,
      "sky_motion_label": "eastward, setting",
      "subpoint_lat": 32.1864,
      "subpoint_lon": -78.2384
    },
    {
      "azimuth_deg": 72.62,
      "azimuth_plus_2m_deg": 134.25,
      "azimuth_plus_5m_deg": 136.43,
      "element_age_hours": 2.2,
      "element_epoch": "2024-02-24T00:18:02.096064+00:00",
      "elevation_deg": 84.35,
      "elevation_plus_2m_deg": 28.21,
      "elevation_plus_5m_deg": 4.93,
      "epoch_altitude_km": 545.54,
      "ground_track_bearing_deg": 137.71,
      "ground_track_label": "SE",
      "launch_date": "2021-11-13",
      "name": "STARLINK-3137",
      "norad_id": "49449",
      "range_km": 543.3,
      "sky_motion_label": "eastward, setting",
      "subpoint_lat": 32.3715,
      "subpoint_lon": -77.4027
    },
    {
      "azimuth_deg": 181.75,
      "azimuth_plus_2m_deg": 147.8,
      "azimuth_plus_5m_deg": 142.99,
      "element_age_hours": 2.21,
      "element_epoch": "2024-02-24T00:17:14.952768+00:00",
      "elevation_deg": 65.19,
      "elevation_plus_2m_deg": 23.18,
      "elevation_plus_5m_deg": 3.27,
      "epoch_altitude_km": 545.38,
      "ground_track_bearing_deg": 138.88,
      "ground_track_label": "SE",
      "launch_date": "2020-06-13",
      "name": "STARLINK-1484",
      "norad_id": "45756",
      "range_km": 590.34,
      "sky_motion_label": "westward, setting",
      "subpoint_lat": 30.1809,
      "subpoint_lon": -77.9752
    }
  ],
}
```

```

{
  "azimuth_deg": 36.59,
  "azimuth_plus_2m_deg": 41.69,
  "azimuth_plus_5m_deg": 43.16,
  "element_age_hours": 0.2,
  "element_epoch": "2024-02-24T02:18:06.313824+00:00",
  "elevation_deg": 58.04,
  "elevation_plus_2m_deg": 20.23,
  "elevation_plus_5m_deg": 2.24,
  "epoch_altitude_km": 553.23,
  "ground_track_bearing_deg": 44.63,
  "ground_track_label": "NE",
  "launch_date": "2021-05-04",
  "name": "STARLINK-2607",
  "norad_id": "48391",
  "range_km": 637.0,
  "sky_motion_label": "eastward, setting",
  "subpoint_lat": 34.4716,
  "subpoint_lon": -75.8881
},
{
  "azimuth_deg": 292.55,
  "azimuth_plus_2m_deg": 129.65,
  "azimuth_plus_5m_deg": 125.11,
  "element_age_hours": 8.54,
  "element_epoch": "2024-02-23T17:57:42.876288+00:00",
  "elevation_deg": 57.31,
  "elevation_plus_2m_deg": 46.05,
  "elevation_plus_5m_deg": 10.15,
  "epoch_altitude_km": 565.54,
  "ground_track_bearing_deg": 121.13,
  "ground_track_label": "ESE",
  "launch_date": "2023-07-16",
  "name": "STARLINK-6331",
  "norad_id": "57351",
  "range_km": 655.62,
  "sky_motion_label": "westward, setting",
  "subpoint_lat": 33.3241,
  "subpoint_lon": -81.1329
},
{
  "azimuth_deg": 169.24,
  "azimuth_plus_2m_deg": 66.27,
  "azimuth_plus_5m_deg": 49.83,
  "element_age_hours": 6.2,
  "element_epoch": "2024-02-24T08:42:16.917120+00:00",
  "elevation_deg": 54.14,
  "elevation_plus_2m_deg": 36.2,
  "elevation_plus_5m_deg": 7.94,
  "epoch_altitude_km": 553.31,
  "ground_track_bearing_deg": 40.97,
  "ground_track_label": "NE",
  "launch_date": "2020-01-07",
  "name": "STARLINK-1114",
  "norad_id": "44927",
  "range_km": 662.76,
  "sky_motion_label": "westward, setting",
  "subpoint_lat": 29.0689,
  "subpoint_lon": -77.2176
},
{
  "azimuth_deg": 114.17,
  "azimuth_plus_2m_deg": 74.13,
  "azimuth_plus_5m_deg": 63.85,
  "element_age_hours": 7.76,
  "element_epoch": "2024-02-24T10:15:52.301088+00:00",
  "elevation_deg": 49.98,
  "elevation_plus_2m_deg": 21.77,
  "elevation_plus_5m_deg": 3.39,
  "epoch_altitude_km": 565.43,
  "ground_track_bearing_deg": 56.38,
  "ground_track_label": "ENE",
  "launch_date": "2023-11-18",
  "name": "STARLINK-30888",
  "norad_id": "58370",
  "range_km": 711.93,
  "sky_motion_label": "westward, setting",
  "subpoint_lat": 30.621,
  "subpoint_lon": -73.8949
},
{
  "azimuth_deg": 46.83,
  "azimuth_plus_2m_deg": 29.24,
  "azimuth_plus_5m_deg": 24.93,
  "element_age_hours": 1.44,
  "element_epoch": "2024-02-24T03:56:10.606560+00:00",
  "elevation_deg": 49.77,
  "elevation_plus_2m_deg": 18.87,

```

```

    "elevation_plus_5m_deg": 1.76,
    "epoch_altitude_km": 577.23,
    "ground_track_bearing_deg": 21.88,
    "ground_track_label": "NNE",
    "launch_date": "2023-01-19",
    "name": "STARLINK-5261",
    "norad_id": "55276",
    "range_km": 735.32,
    "sky_motion_label": "westward, setting",
    "subpoint_lat": 34.8796,
    "subpoint_lon": -74.4265
  },
  {
    "azimuth_deg": 284.96,
    "azimuth_plus_2m_deg": 30.53,
    "azimuth_plus_5m_deg": 52.62,
    "element_age_hours": 8.21,
    "element_epoch": "2024-02-23T18:17:16.348992+00:00",
    "elevation_deg": 49.41,
    "elevation_plus_2m_deg": 41.02,
    "elevation_plus_5m_deg": 9.86,
    "epoch_altitude_km": 565.46,
    "ground_track_bearing_deg": 59.24,
    "ground_track_label": "ENE",
    "launch_date": "2023-02-12",
    "name": "STARLINK-5748",
    "norad_id": "55604",
    "range_km": 717.73,
    "sky_motion_label": "eastward, setting",
    "subpoint_lat": 33.1608,
    "subpoint_lon": -82.3535
  },
  {
    "azimuth_deg": 25.93,
    "azimuth_plus_2m_deg": 49.4,
    "azimuth_plus_5m_deg": 56.21,
    "element_age_hours": 6.12,
    "element_epoch": "2024-02-24T08:37:21.951840+00:00",
    "elevation_deg": 49.36,
    "elevation_plus_2m_deg": 19.33,
    "elevation_plus_5m_deg": 2.22,
    "epoch_altitude_km": 565.54,
    "ground_track_bearing_deg": 62.8,
    "ground_track_label": "ENE",
    "launch_date": "2023-07-28",
    "name": "STARLINK-30165",
    "norad_id": "57457",
    "range_km": 718.83,
    "sky_motion_label": "eastward, setting",
    "subpoint_lat": 35.7129,
    "subpoint_lon": -75.8227
  },
  {
    "azimuth_deg": 305.2,
    "azimuth_plus_2m_deg": 10.1,
    "azimuth_plus_5m_deg": 32.94,
    "element_age_hours": 6.16,
    "element_epoch": "2024-02-24T08:39:30.048480+00:00",
    "elevation_deg": 41.12,
    "elevation_plus_2m_deg": 26.9,
    "elevation_plus_5m_deg": 5.9,
    "epoch_altitude_km": 545.8,
    "ground_track_bearing_deg": 44.8,
    "ground_track_label": "NE",
    "launch_date": "2022-10-20",
    "name": "STARLINK-5183",
    "norad_id": "54084",
    "range_km": 785.22,
    "sky_motion_label": "eastward, setting",
    "subpoint_lat": 34.9824,
    "subpoint_lon": -82.7885
  },
  {
    "azimuth_deg": 198.75,
    "azimuth_plus_2m_deg": 98.83,
    "azimuth_plus_5m_deg": 66.81,
    "element_age_hours": 6.2,
    "element_epoch": "2024-02-24T08:41:42.185184+00:00",
    "elevation_deg": 40.86,
    "elevation_plus_2m_deg": 46.6,
    "elevation_plus_5m_deg": 11.8,
    "epoch_altitude_km": 565.66,
    "ground_track_bearing_deg": 53.43,
    "ground_track_label": "NE",
    "launch_date": "2023-09-30",
    "name": "STARLINK-30519",
    "norad_id": "57985",
    "range_km": 813.64,

```

```
    "sky_motion_label": "westward, rising",
    "subpoint_lat": 27.389,
    "subpoint_lon": -79.7419
  }
],
"adsb_lol_analysis": {
  "classificationSupport": {
    "bestCandidate": {
      "bestScoredPoint": {
        "altitudeFt":
```

Appendix C. Source Exhaustion Checklist

This checklist records which source layers were actually applied to this individual report. It separates checked evidence from unexhausted collection gaps so the disposition is auditable when the PDF is read alone.

SOURCE LAYER	STATUS	CASE-SPECIFIC NOTE
NARA PUBLIC UAP/FAA REPORT	reviewed	Source IDs: 237UAP00614
TIME AND OBSERVER COORDINATE	extracted	2024-02-24T02:30:00+00:00 at 32.23967, -77.90289
ORBITAL OBJECT PROPAGATION	screened	Starlink
SPACE-TRACK SATCAT METADATA	screened	30 NORAD IDs checked; 30 matched in local SATCAT subset
LAUNCH-OBJECT/SUPGP LAYER	not applicable	not a launch-object case
NASA/JPL KNOWN SMALL-BODY LAYER	not selected	CAD/Horizons secondary screen included when this case had NEO-relevant timing/geometry
NASA POWER/HORIZONS/DONKI CONTEXT	screened	Hourly weather, sky geometry, and space-weather context where local JSON is present
AIRCRAFT/ADS-B LAYER	screened	52668 trace files scanned; 800 tracks retained; aircraft strong candidate present
NOAA GOES IMAGERY LAYER	not exhausted	Cloud/lightning imagery layer for the report hour
NOAA GOES ABI/GLM MANIFEST	screened	Public S3 object listing for the report hour
NOAA/NEXRAD WEATHER RADAR LAYER	not exhausted	Weather radar only; not ATC/primary radar
NOAA IGRA RADIOSONDE LAYER	screened	Balloon drift plausibility layer
ASOS/METAR SURFACE WEATHER	screened	Nearest station visibility, cloud, wind, precipitation, and METAR observations
WEATHER/BALLOON SOURCE PLAN	planned	Nearest weather-airport, GOES, and radiosonde queries are listed where local plan JSON is present
FINAL ANALYTIC DISPOSITION	normal-object favored	Presence-only satellite density is context only; a stronger case-specific fit is required for normal-object disposition

References and Source Links

1. National Archives and Records Administration. *Records Related to Unidentified Flying Objects (UFOs) and Unidentified Anomalous Phenomena (UAPs) at the National Archives*. <https://www.archives.gov/research/topics/uaps>
2. National Archives and Records Administration. *Record Group 615: Unidentified Anomalous Phenomena Records Collection*. <https://www.archives.gov/research/topics/uaps/rg-615>
3. National Archives and Records Administration. *Bulk Downloads for Records Related to Unidentified Anomalous Phenomena (UAPs)*. <https://www.archives.gov/research/catalog/catalog-bulk-downloads/uap-bulk-download>
4. National Archives Catalog. *Records from the Federal Aviation Administration Relating to Unidentified Anomalous Phenomena, National Archives Identifier 493468575*. <https://catalog.archives.gov/id/493468575>
5. National Archives direct digital object. *237UAP00614.pdf, FAA UAP report record copied from RG 615 bulk digital objects*. <https://s3.dualstack.us-east-1.amazonaws.com/NARAprdstorage/lz/electronic-records/rg-615/493468575/237UAP00614.pdf>
6. Hugging Face dataset. *oxzoid/space-track-tle-history: historical TLE archive used for Starlink screening*. <https://huggingface.co/datasets/oxzoid/space-track-tle-history>
7. Space-Track.org. *Public source for the underlying U.S. Space Surveillance Network TLE distribution referenced by the historical TLE archive*. <https://www.space-track.org/>
8. Space-Track.org. *API documentation for SATCAT and catalog metadata classes used for local enrichment*. <https://www.space-track.org/documentation#/api>
9. NASA POWER. *Hourly point API documentation for meteorological context*. <https://power.larc.nasa.gov/docs/services/api/temporal/hourly/>
10. NASA/JPL Solar System Dynamics. *Horizons API documentation for observer geometry and apparent magnitude queries*. <https://ssd-api.jpl.nasa.gov/doc/horizons.html>
11. NASA. *DONKI space weather API documentation*. <https://api.nasa.gov/>
12. ADSB.lol. *Interactive API documentation and OpenAPI definition*. <https://api.adsb.lol/docs>
13. ADSB.lol. *Historical open-data release documentation*. <https://www.adsb.lol/docs/open-data/historical/>
14. OpenSky Network. *REST API documentation*. <https://openskynetwork.github.io/opensky-api/rest.html>
15. OpenSky Network. *Historical data via Trino documentation*. <https://openskynetwork.github.io/opensky-api/trino.html>
16. NASA GIBS. *Global Imagery Browse Services API documentation*. <https://nasa-gibs.github.io/gibs-api-docs/>
17. NASA Earthdata. *Common Metadata Repository search API documentation*. <https://cmr.earthdata.nasa.gov/search/site/docs/search/api.html>
18. NOAA / AWS Open Data. *GOES public dataset registry*. <https://registry.opendata.aws/noaa-goes/>
19. NOAA / AWS Open Data. *NEXRAD public dataset registry*. <https://registry.opendata.aws/noaa-nexrad/>
20. NOAA NCEI. *Integrated Global Radiosonde Archive*. <https://www.ncei.noaa.gov/products/weather-balloon/integrated-global-radiosonde-archive>
21. Iowa Environmental Mesonet. *ASOS/AWOS/METAR data download service*. <https://mesonet.agron.iastate.edu/request/download.phtml>
22. Celestrak. *Spacetrack Report No. 3: Models for propagation of NORAD element sets*. <https://celestrak.org/NORAD/documentation/spacetrk.pdf>
23. Celestrak. *Supplemental GP element sets documentation and current endpoint index*. <https://celestrak.org/NORAD/elements/supplemental/>